



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product number 006-003
Product name **Bed Bug, Lice and Dust Mite Spray**
Effective date 05-Feb-2011
Company information Claire Mfg.
1005 Westgate
Addison, IL 60101 United States
Company phone General Assistance 630-543-7600
Emergency telephone US 800-424-9300
Emergency telephone outside US 703-527-3887
Version # 06
Supersedes date 01-Sep-2010

2. Hazards Identification

Emergency overview Aerosol. CONTENTS UNDER PRESSURE.
Potential health effects
Routes of exposure Skin contact. Ingestion.
Eyes Moderately irritating to the eyes. Health injuries are not known or expected under normal use.
Skin Harmful if absorbed through the skin. Health injuries are not known or expected under normal use.
Inhalation Intentional misuse by concentrating and inhaling the product can be harmful or fatal.
Ingestion Exposure by ingestion of an aerosol is unlikely. Components of the product may be absorbed into the body by ingestion.
Target organs Central nervous system.
Chronic effects May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
Signs and symptoms Narcosis.

3. Composition / Information on Ingredients

| Components | CAS # | Percent |
|--|------------|---------|
| Synthetic Isoparaffinic Hydrocarbon | 64742-47-8 | 15 - 20 |
| Propane | 74-98-6 | 5 - 8 |
| n-Butane | 106-97-8 | 5 - 8 |
| Non-hazardous and other components below reportable levels | | 60 - 80 |

4. First Aid Measures

First aid procedures
Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact Take off immediately all contaminated clothing. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if irritation develops and persists.
Inhalation If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.
Ingestion Call a physician or Poison Control Center immediately. Do not induce vomiting without advice from poison control center. Do not give milk, alcoholic beverages or castor oil. Never give anything by mouth to an unconscious person.
Notes to physician Symptoms may be delayed.

5. Fire Fighting Measures

| | |
|--|---|
| Flammable properties | Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may cause fire or explosion hazard. |
| Extinguishing media | |
| Suitable extinguishing media | Large Fires: Water spray, fog or regular foam. Small Fires: |
| Protection of firefighters | |
| Protective equipment and precautions for firefighters | In case of fire and/or explosion do not breathe fumes. Containers should be cooled with water to prevent vapor pressure build up. |

6. Accidental Release Measures

| | |
|--------------------------------|--|
| Methods for containment | Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk. |
| Methods for cleaning up | Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |

7. Handling and Storage

| | |
|-----------------|--|
| Handling | Pressurized container: Do not pierce or burn, even after use. Do not smoke while using or until sprayed surface is thoroughly dry. Do not use if spray button is missing or defective. Do not re-use empty containers. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. |
| Storage | Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Keep away from heat, sparks, and flame. Avoid exposure to long periods of sunlight. Store in cool place. Keep container dry. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs. Level 1 Aerosol (NFPA 30B) |

8. Exposure Controls / Personal Protection

Exposure limits

ACGIH

| Components | CAS # | TWA | STEL | Ceiling |
|------------|----------|----------|-----------------|-----------------|
| Propane | 74-98-6 | 1000 ppm | Not established | Not established |
| n-Butane | 106-97-8 | 1000 ppm | Not established | Not established |

OSHA

| Components | CAS # | TWA | STEL | Ceiling |
|------------|---------|----------|-----------------|-----------------|
| Propane | 74-98-6 | 1000 ppm | Not established | Not established |

Personal protective equipment

| | |
|-------------------------------|--|
| Eye / face protection | Chemical goggles are recommended. |
| Skin protection | Wear appropriate chemical resistant clothing. Chemical resistant gloves. Not normally needed. |
| Respiratory protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. |

9. Physical & Chemical Properties

| | |
|---------------------------|------------------------------------|
| Appearance | Compressed liquefied gas. |
| Boiling point | 206.6 °F (97.2 °C) estimated |
| Color | White. |
| Density | 0.8574 g/cm ³ estimated |
| Flammability (HOC) | 13.2705 kJ/g estimated |
| Flash back | No |

| | |
|-------------------------|--------------------------------|
| Flash point | -156 °F (-104.4 °C) Propellant |
| Form | Aerosol. |
| Freezing point | Not available |
| Odor | None known. |
| pH | 3.7 - 5.7 |
| Physical state | Liquid. |
| Pressure | 75 - 85 psig @70F |
| Solubility | Partially |
| Specific gravity | 0.8575 estimated |

10. Chemical Stability & Reactivity Information

| | |
|---|--|
| Chemical stability | Risk of ignition. |
| Conditions to avoid | Heat, flames and sparks. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

11. Toxicological Information

| | |
|----------------------|--|
| Acute effects | Acute LD50: 12478 mg/kg estimated, Rat, Dermal Acute LC50: 32 mg/l/4h estimated, Rat, Inhalation Acute LC50: , Rat, Inhalation |
|----------------------|--|

Component analysis - LD50

Toxicology Data - Selected LD50s and LC50s

| | | |
|-------------------------------------|------------|--|
| n-Butane | 106-97-8 | Inhalation LC50 Rat 658 mg/L 4 h |
| Propane | 74-98-6 | Inhalation LC50 Rat 658 mg/L 4 h |
| Synthetic Isoparaffinic Hydrocarbon | 64742-47-8 | Inhalation LC50 Rat >5.2 mg/L 4 h; Oral LD50 Rat >5000 mg/kg; Dermal LD50 Rabbit >2000 mg/kg |

| | |
|-----------------------|--|
| Sensitization | Not expected to be hazardous by OSHA criteria. |
| Teratogenicity | Not expected to be hazardous by OSHA criteria. |

12. Ecological Information

| | |
|--------------------|--|
| Ecotoxicity | LC50 280 mg/L estimated, Fish, 96.00 Hours, Components of this product are hazardous to aquatic life. |
|--------------------|--|

13. Disposal Considerations

| | |
|------------------------------|--|
| Waste codes | D001: Waste Flammable material with a flash point <140 F |
| Disposal instructions | Contents under pressure. Dispose of this material and its container to hazardous or special waste collection point. Do not incinerate sealed containers. Do not allow this material to drain into sewers/water supplies. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations. |

14. Transport Information

Department of Transportation (DOT) Requirements

Basic shipping requirements:

| | |
|--------------------------------|--------------------|
| Proper shipping name | Consumer commodity |
| Hazard class | ORM-D |
| Subsidiary hazard class | None |
| Additional information: | |
| Packaging exceptions | 156, 306 |
| Packaging non bulk | 156, 306 |
| Packaging bulk | None |

IMDG**Basic shipping requirements:**

Proper shipping name AEROSOLS
Hazard class 2.1
UN number 1950
Additional information:
Packaging exceptions LTD QTY
Item 5F
Labels required None
Transport Category 2

**IATA****Basic shipping requirements:**

Proper shipping name Aerosols, flammable
Hazard class 2.1
UN number 1950
Additional information:
Packaging exceptions LTD QTY
Labels required 2.1



| |
|-----------------------------------|
| 15. Regulatory Information |
|-----------------------------------|

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
 CERCLA/SARA Hazardous Substances - Not applicable.

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely hazardous substance No
Section 311 hazardous chemical Yes
Hazard categories (311/312) Immediate Hazard - Yes
 Delayed Hazard - No
 Fire Hazard - Yes
 Pressure Hazard - Yes
 Reactivity Hazard - No

Inventory status

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| China | Inventory of Existing Chemical Substances in China (IECSC) | No |
| Europe | European Inventory of New and Existing Chemicals (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations**U.S. - Pennsylvania - RTK (Right to Know) List**

| | | |
|-------------------------------------|------------|---------|
| n-Butane | 106-97-8 | Present |
| Propane | 74-98-6 | Present |
| Synthetic Isoparaffinic Hydrocarbon | 64742-47-8 | Present |

| |
|------------------------------|
| 16. Other Information |
|------------------------------|

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings

Health: 1
Flammability: 2
Physical hazard: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.

MSDS sections updated

This document has undergone significant changes and should be reviewed in its entirety.

Prepared by

Regulatory Compliance