



SAFETY DATA SHEET

1. Identification

Product identifier: 9000 SHOT 9K SPICY CINNAMON METERED AIR FRESHENER

Other means of identification

SDS number: RE1000004822

Recommended restrictions

Product use: Air Freshener
Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: CLAIRE MANUFACTURING COMPANY
Address: 1000 Integram Dr
Pacific, MO 63069
Telephone: 1-630-543-7600
Fax:

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A
Skin sensitizer Category 1
Carcinogenicity Category 1B

Environmental Hazards

Acute hazards to the aquatic environment Category 3

Label Elements

Hazard Symbol:



Signal Word: Danger



Hazard Statement: Extremely flammable aerosol.
Causes serious eye irritation.
May cause an allergic skin reaction.
May cause cancer.
Harmful to aquatic life.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid release to the environment.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water/# If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC): None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
2-Propanol	67-63-0	20 - <50%
Distillates (petroleum), hydrotreated light	64742-47-8	10 - <25%
2-Propenal, 3-phenyl-	104-55-2	1 - <5%
Benzoic acid, phenylmethyl ester	120-51-4	1 - <5%
Oils, cinnamon	8015-91-6	0.1 - <1%
Proprietary Fragrance		0.1 - <1%
2H-1-Benzopyran-2-one	91-64-5	0.1 - <1%
Phenol, 2-methoxy-4-(1-propen-1-yl)-	97-54-1	0.1 - <1%
Phenol, 2-methoxy-4-(2-propen-1-yl)-	97-53-0	0.1 - <1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.



4. First-aid measures

Ingestion:	Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
Inhalation:	Move to fresh air.
Skin Contact:	Call a POISON CENTER/doctor if you feel unwell. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.
Eye contact:	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

Symptoms:	No data available.
Hazards:	No data available.

Indication of immediate medical attention and special treatment needed

Treatment:	No data available.
-------------------	--------------------

5. Fire-fighting measures

General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.
------------------------------	---

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical:	Vapors may travel considerable distance to a source of ignition and flash back.
--	---

Special protective equipment and precautions for firefighters

Special fire fighting procedures:	No data available.
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures



Personal precautions, protective equipment and emergency procedures:	See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.
Methods and material for containment and cleaning up:	Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.
Notification Procedures:	Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

7. Handling and storage

Precautions for safe handling:	Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Conditions for safe storage, including any incompatibilities:	Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
2-Propanol	REL	400 ppm 980 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	400 ppm	US. ACGIH Threshold Limit Values (2008)
	STEL	500 ppm 1,225 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	500 ppm 1,225 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	TWA	400 ppm 980 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	PEL	400 ppm 980 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	400 ppm 980 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	500 ppm 1,225 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	AN ESL	200 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
ST ESL	2,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)	



	STEL	500 ppm 1,225 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	200 ppm	US. ACGIH Threshold Limit Values (2008)
	TWA PEL	400 ppm 980 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	AN ESL	492 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	4,920 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (2008)
Distillates (petroleum), hydrotreated light	REL	100 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (2008)
Distillates (petroleum), hydrotreated light	ST ESL	3,500 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	350 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Ethanol, 2,2',2''-nitrilotris-	TWA PEL	5 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	ST ESL	50 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (2008)
	AN ESL	5 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	TWA	20 ppm	US. ACGIH Threshold Limit Values (2008)
	ST ESL	3,500 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	630 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	63 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	350 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Ethanol, 2,2'-iminobis-	REL	3 ppm 15 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	AN ESL	7 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	TWA	3 ppm 15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA PEL	0.46 ppm 2 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	ST ESL	97 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Ethanol, 2,2'-iminobis- - Inhalable fraction and vapor.	TWA	1 mg/m3	US. ACGIH Threshold Limit Values (2009)
Ethanol, 2,2'-iminobis-	TWA	3 ppm 15 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)



Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
2-Propanol (acetone: Sampling time: End of shift at end of work week.)	40 mg/l (Urine)	ACGIH BEL (03 2013)

Appropriate Engineering Controls No data available.

Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection
Hand Protection: No data available.

Other: Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Hygiene measures: Avoid contact with skin. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Avoid contact with eyes. When using do not smoke. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical state: liquid
Form: Spray Aerosol
Color: No data available.

Odor: No data available.

Odor threshold: No data available.

pH: No data available.

Melting point/freezing point: No data available.

Initial boiling point and boiling range: No data available.

Flash Point: -41 °C

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available.



Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	3,447.3786 - 4,826.3301 hPa (20 °C)
Vapor density:	No data available.
Density:	No data available.
Relative density:	No data available.
Solubility(ies)	
Solubility in water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.



Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 62,659.69 mg/kg

Dermal

Product: ATEmix: 18,676.56 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

2-Propanol	LC 50: > 5 mg/l LC 50: > 20 mg/l
Distillates (petroleum), hydrotreated light	LC 50: > 5 mg/l LC 50: > 20 mg/l
Benzoic acid, phenylmethyl ester	LC 50: > 20 mg/l LC 50: > 5 mg/l
Oils, cinnamon	LC 50: > 5 mg/l LC 50: > 20 mg/l
Proprietary Fragrance	LC 50: > 5 mg/l LC 50: > 20 mg/l
2H-1-Benzopyran-2-one	LC 50: > 5 mg/l LC 50: > 20 mg/l
Phenol, 2-methoxy-4-(1- propen-1-yl)-	LC 50: > 5 mg/l LC 50: > 20 mg/l
Phenol, 2-methoxy-4-(2- propen-1-yl)-	LC 50: > 20 mg/l LD 50 (Rat): > 2.6 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

2-Propanol	NOAEL (Rat, Inhalation, >= 104 Weeks): 5,000 ppm(m) Inhalation Experimental result, Key study
Distillates (petroleum), hydrotreated light	NOAEL (Rat(Female, Male), Inhalation): >= 24 mg/m3 Inhalation Experimental result, Key study NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result, Key study
2-Propenal, 3-phenyl-	NOAEL (Rat(Female, Male), Oral, 12 Weeks): 200 mg/kg Oral Experimental result, Key study
Benzoic acid, phenylmethyl ester	NOAEL (Rat(Female, Male), Dermal, 4 Weeks): 781 mg/kg Dermal Experimental result, Key study
2H-1-Benzopyran-2-one	NOAEL (Rat(Male), Inhalation, 104 - 110 Weeks): 42 mg/kg Inhalation Experimental result, Key study



Phenol, 2-methoxy-4-(2-propen-1-yl)-
NOAEL : 50 mg/kg Oral Experimental result, Key study
NOAEL (Rat(Male), Dermal, 104 - 110 Weeks): 42 mg/kg Dermal
Experimental result, Key study
NOAEL (Rat(Female), Oral, 2 yr): 300 mg/kg Oral Experimental result,
Weight of Evidence study

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

2-Propanol	in vivo (Rabbit): Not Classified Experimental result, Key study
Distillates (petroleum), hydrotreated light	in vivo (Rabbit): Not irritant Experimental result, Key study
2-Propenal, 3-phenyl-	in vivo (Human): Irritating. Experimental result, Key study
Benzoic acid, phenylmethyl ester	in vivo (Rabbit): Not irritant Experimental result, Key study
2H-1-Benzopyran-2-one	in vivo (Rabbit): Not irritant Experimental result, Key study
Phenol, 2-methoxy-4-(2-propen-1-yl)-	in vivo (Rabbit): Not Classified Experimental result, Key study

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

2-Propanol	Rabbit, 1 d: Irritating.
Distillates (petroleum), hydrotreated light	Rabbit, 24 - 72 hrs: Not irritating

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

2-Propanol	Skin sensitization:, in vivo (Guinea pig): Non sensitising
Distillates (petroleum), hydrotreated light	Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity



In vitro
Product: No data available.

In vivo
Product: No data available.

Reproductive toxicity
Product: No data available.

Specific Target Organ Toxicity - Single Exposure
Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure
Product: No data available.

Aspiration Hazard
Product: No data available.

Specified substance(s):
Distillates (petroleum),
hydrotreated light
Proprietary Fragrance
Phenol, 2-methoxy-4-(2-
propen-1-yl)-
May be fatal if swallowed and enters airways.
May be fatal if swallowed and enters airways.
May be fatal if swallowed and enters airways.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

2-Propanol	LC 50 (Pimephales promelas, 96 h): 9,640 mg/l Experimental result, Key study
Distillates (petroleum), hydrotreated light	LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): 2.9 mg/l Mortality NOAEL (Oncorhynchus mykiss, 96 h): 2 mg/l Experimental result, Key study
2-Propenal, 3-phenyl-	LC 50 (Pimephales promelas, 96 h): 105.7637 mg/l QSAR QSAR, Weight of Evidence study
Benzoic acid, phenylmethyl ester	LC 50 (Danio rerio, 96 h): 2.32 mg/l Experimental result, Key study
2H-1-Benzopyran-2-one	LC 50 (Guppy (Poecilia reticulata), 96 h): 32 - 100 mg/l Mortality
Phenol, 2-methoxy-4-(2-	LC 50 (Danio rerio, 96 h): 13 mg/l Experimental result, Key study



propen-1-yl)- NOAEL (Danio rerio, 96 h): 10 mg/l Experimental result, Key study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

2-Propanol LC 50 (Daphnia magna, 24 h): > 10,000 mg/l Experimental result, Key study

Distillates (petroleum),
hydrotreated light EC 50 (Daphnia magna, 24 h): 4.6 mg/l Experimental result, Key study
NOAEL (Daphnia magna, 48 h): 0.3 mg/l Experimental result, Key study
EC 50 (Daphnia magna, 48 h): 1.4 mg/l Experimental result, Key study

2-Propenal, 3-phenyl- EC 50 (Daphnia magna, 48 h): 119.5578 mg/l QSAR QSAR, Key study

Benzoic acid,
phenylmethyl ester LC 50 (Daphnia magna, 48 h): 7.77 mg/l Experimental result, Key study
NOAEL (Daphnia magna, 48 h): 1.73 mg/l Experimental result, Key study

Oils, cinnamon EC 50 (48 h): 1.16 mg/l

2H-1-Benzopyran-2-one LC 50 (Water flea (Daphnia magna), 48 h): 10 - 18 mg/l Mortality

Phenol, 2-methoxy-4-(2-
propen-1-yl)- EC 50 (Daphnia magna, 48 h): 1.13 mg/l Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Distillates (petroleum),
hydrotreated light NOAEL (Oncorhynchus mykiss): 0.098 mg/l QSAR QSAR, Key study

2H-1-Benzopyran-2-one NOAEL : 0.191 mg/l QSAR QSAR, Key study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Distillates (petroleum),
hydrotreated light NOAEL (Daphnia magna): 1.2 mg/l Experimental result, Key study
EC 50 (Daphnia magna): 0.81 mg/l Experimental result, Key study

Benzoic acid,
phenylmethyl ester NOAEL (Daphnia magna): 0.258 mg/l Experimental result, Key study
LOAEL (Daphnia magna): 0.455 mg/l Experimental result, Key study

2H-1-Benzopyran-2-one NOAEL (Daphnia sp.): 0.5 mg/l QSAR QSAR, Key study

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

2-Propanol 53 % (5 d) Detected in water. Experimental result, Key study



Distillates (petroleum), hydrotreated light	61 % Detected in water. Experimental result, Supporting study
2-Propenal, 3-phenyl-	10 % Detected in water. Experimental result, Supporting study 50 % (15 d) Sediment Estimated by calculation, Key study
Benzoic acid, phenylmethyl ester	94 % (28 d) Detected in water. Experimental result, Key study
Oils, cinnamon	The product is easily biodegradable.
2H-1-Benzopyran-2-one	90 % Detected in water. Experimental result, Key study
Phenol, 2-methoxy-4-(2-propen-1-yl)-	82 % Detected in water. Experimental result, Key study

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

2-Propenal, 3-phenyl- Bioconcentration Factor (BCF): 16.4 Aquatic sediment Estimated by calculation, Supporting study

Benzoic acid, phenylmethyl ester Bioconcentration Factor (BCF): 193.4 Aquatic sediment QSAR, Key study

2H-1-Benzopyran-2-one Green algae (*Chlorella fusca vacuolata*), Bioconcentration Factor (BCF): 42 (Static)

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Specified substance(s):

Phenol, 2-methoxy-4-(2-propen-1-yl)- Log Kow: 1.83 30 °C

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

2-Propanol	No data available.
Distillates (petroleum), hydrotreated light	No data available.
2-Propenal, 3-phenyl-	No data available.
Benzoic acid, phenylmethyl ester	No data available.
Oils, cinnamon	No data available.
Proprietary Fragrance	No data available.
2H-1-Benzopyran-2-one	No data available.
Phenol, 2-methoxy-4-(1-propen-1-yl)-	No data available.
Phenol, 2-methoxy-4-(2-propen-1-yl)-	No data available.



Other adverse effects: Harmful to aquatic organisms.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local laws.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number: UN 1950
UN Proper Shipping Name: Aerosols, flammable
Transport Hazard Class(es)
Class: 2.1
Label(s): –
Packing Group: II
Marine Pollutant: No

Environmental Hazards: No
Marine Pollutant: No

Special precautions for user: Not regulated.

IMDG

UN Number: UN 1950
UN Proper Shipping Name: Aerosols, flammable
Transport Hazard Class(es)
Class: 2
Label(s): –
EmS No.: –
Packing Group: –

Environmental Hazards: No
Marine Pollutant: No

Special precautions for user: Not regulated.

IATA

UN Number: UN 1950
Proper Shipping Name: Aerosols, flammable
Transport Hazard Class(es):
Class: 2.1
Label(s): –
Packing Group: –

Environmental Hazards: No
Marine Pollutant: No

Special precautions for user: Not regulated.

15. Regulatory information



US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
2-Propanol	lbs. 100
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	lbs. 100
Ethanol, 2,2'-iminobis-	lbs. 100

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

- Fire Hazard
- Immediate (Acute) Health Hazards
- Delayed (Chronic) Health Hazard
- Flammable aerosol
- Serious Eye Damage/Eye Irritation
- Skin sensitizer
- Carcinogenicity

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

<u>Chemical Identity</u>	<u>Reportable quantity</u>
2-Propanol	lbs. 100
Ethanol, 2-phenoxy- Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	lbs. 100
Ethanol, 2,2'-iminobis-	lbs. 100

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
2-Propanol	10000 lbs
Distillates (petroleum), hydrotreated light	10000 lbs
2-Propenal, 3-phenyl-	10000 lbs
Benzoic acid, phenylmethyl ester	10000 lbs
Oils, cinnamon	10000 lbs
Proprietary Fragrance	10000 lbs
2H-1-Benzopyran-2-one	10000 lbs
Phenol, 2-methoxy-4-(1- propen-1-yl)-	10000 lbs
Phenol, 2-methoxy-4-(2- propen-1-yl)-	10000 lbs
Ethanol, 2,2',2''-nitrotris-	10000 lbs
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	10000 lbs
Ethanol, 2,2'-iminobis-	10000 lbs

SARA 313 (TRI Reporting)

<u>Chemical Identity</u>	<u>Reporting</u>	<u>Reporting threshold for</u>
--------------------------	------------------	--------------------------------



	<u>threshold for other users</u>	<u>manufacturing and processing</u>
2-Propanol	lbs	lbs.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):
Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)
US State Regulations**

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Ethanol, 2,2'-iminobis- Carcinogenic. 07 2012

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Ethane, 1,1-difluoro-
2-Propanol
Distillates (petroleum), hydrotreated light

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

2-Propanol
Distillates (petroleum), hydrotreated light

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Ethane, 1,1-difluoro- Group I Annex F

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol



Inventory Status:

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Mexico INSQ:	Not in compliance with the inventory.
Ontario Inventory:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory

16. Other information, including date of preparation or last revision

Issue Date:	08/05/2019
Revision Information:	No data available.
Version #:	1.0
Further Information:	No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.